

INTRODUCING THE LF540...

The LF540 is a compact and economical pistonsensed, low-fow regulator with precision machined sensing elements to allow fne pressure control up to 414 bar (6,000 psi).

Its load bearings and large handwheel offer low torque adjustment, and the LF540 can be supplied as nonventing or self-venting, non-captured (on gas only).

SPECIFICATION

| Max. Rated Inlet Pressure | 690 bar (10,000 psi) |
|---------------------------|----------------------------------|
| Outlet Ranges | Up to 414 bar (6,000 psi) |
| Design Proof Pressure | 150% max. working pressure |
| Seat Leakage | In accordance with ANSI/FCI 70-3 |
| Weight | 2.3kg (5lbs) |

STANDARD MATERIALS OF CONSTRUCTION

| PART | MATERIALS |
|-----------------|--|
| Body and Bonnet | AISI 316 / 316L Stainless Steel (UNS S31600 / S31603) |
| Main Valve Pin | AISI 316 / 316L Stainless Steel (UNS S31600 / S31603) |
| Soft Seat | PEEK™ |
| Valve Spring | AISI 316 S42 Stainless Steel |
| Piston | AISI 316 / 316L Stainless Steel (UNS S31600 / S31603) |
| Handwheel | Nylon |
| 'O'-Ring Seals | FKM / FPM |
| Loading Spring | Silicon Chrome Wire |
| Filter | 40 Microns |

FEATURES AND BENEFITS

PISTON -ELEMENT PISTON SENSING

> Perfect for use in challenging conditions.

PRECISION 2 MACHINED SENSING ELEMENT

> For accurate pressure control.

COMPACT DESIGN

Perfect for when installation space is restricted.

SELF-VENTING OR NON-VENTING

> Versatile use for a wide range of applications.

Unit 24, Graphite Way, Hadfeld, Glossop, Derbyshire, UK, SK13 1QH


T +44 (0)1457 899 307 E info@pressure-tech.com

W www.pressure-tech.com



DRAWINGS AND INSTALLATION DIMENSIONS

Dimensions shown for ¼" NPT option - please contact the offce for additional connections options.



Note:

All gauge ports are 1/4" NPT as standard.

PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfeld, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com



FLOW CURVE

Please contact the offce for further information.

PORTING CONFIGURATIONS




Note:

Additional porting configurations are available - please contact the offce for further information.



ORDERING INFORMATION

To build a Pressure Tech part number, simply combine the characters identifed below in sequence:



| | PART NUMBER | DESCRIPTION | |
|---------------------|-----------------------|----------------------------------|--|
| Service Kit | SRK-LF540 | Various options available | |
| Panel Mounting Ring | PT-C-061-005-RING | Stainless Steel panel mount ring | |
| Panel Mounting Ring | PT-C-061-005-001-RING | Aluminium panel mount ring | |

TRADEMARKS: PEEK™ is a trademark of Victrex PLC

PRESSURE TECH LTD

Unit 24, Graphite Way, Hadfeld, Glossop, Derbyshire, UK, SK13 1QH

T +44 (0)1457 899 307

E info@pressure-tech.com

W www.pressure-tech.com

^{*} Where applicable

^{**} Other materials may be available - please contact the offce

^{***} Air loaded only

^{****} Increased supply pressure